



SANI-MATIC

SaniCab™: Reliable, Complete Cleaning of Weigh Scales, Elevator Buckets, Totes and More.



The Sani-Matic SaniCab is an automated cabinet washer engineered to thoroughly clean a wide variety of items for the food and beverage industries. Its flexibility and fast cycle time reduce labor and increase uptime.



The **Sani-Matic SaniCab** is a flexible cabinet washer designed to thoroughly clean product contact items, such as trays, pans, pots, weigh scale buckets and totes.

Advantages

- **Complete Clean.** Hydraulically driven spray bars located on the top, bottom and sides of the washer provide a high-impact, thorough clean.
- **Reduced Cycle Times & Labor.** Wash cycle times as low as 15 minutes with labor savings up to 50 percent.
- **Reduced Water & Chemical Use.** The low-volume sump (17 gallons) provides a high flow rate with more sustainable water use, and reduces chemical use.
- **Increased Uptime.** Optional conveyORIZED strainer automates heavy soil removal during pre-rinse, eliminating downtime due to clogs. The optional dryer ensures ready-to-use parts.
- **No Ramp or Pit.** The Rack-on-Cart System eliminates ramps and pits, which increases safety, provides easy maintenance access, and lowers cost.
- **Safety.** Minimizes operator exposure to high temperatures and strong concentrations.
- **Sanitary.** Rack-on-Cart System reduces handling and minimizes cross contamination.
- **Programmable Logic Controller (PLC).** Customizable programming creates a repeatable and documented clean.

Applications



We mix our industry-specific expertise with the perfect combination of Time, Action, Chemical and Temperature to deliver the best solution for your cleaning challenge.

Features

Standard

- Durable stainless steel construction
- SaniCab P335 (3' W x 3' D x 5' H)
- Electric immersion or steam heating
- Hydraulically driven top, side and bottom rotating spray bars maintain quick disconnects for easy cleaning
- PLC controls/control interface
- Automatic water level controls with alarm and shutdown
- Automatic reservoir drain valve
- Multiple pre-programmed wash cycles
- Pre-piped centrifugal supply pump
- Automatic shutdown if door is opened
- Discharge strainer

Optional

- Hose with gun for manual pre-rinse
- SaniCab P365 (3' W x 6' D x 5' H)
- Dryer system (steam or electric)
- Shell and tube heat exchanger
- ConveyORIZED strainer
- Exhaust fan
- Custom-designed Rack-on-Cart Systems
- Automatic detergent and/or sanitizer injection system
- Motor shroud
- Once-through final rinse
- Chart recorder
- Sani-Matic Start-up Services

SaniCab Rack-On-Cart System



Cart docks and locks to cabinet rails.
Rack releases and rolls into washer.

Safe, Sanitary and Flexible Cleaning System.

Sani-Matic's custom-designed Rack-on-Cart Systems enhance safety, are more sanitary and create significant labor savings.

Advantages

- **No Ramp or Pit Needed.** Using the SaniCab Rack-on-Cart System eliminates unsafe loading and high-costs associated with ramps and pits.
- **Safe, Easy Transport.** Rack locks onto heavy-duty cart for secure transport and easily releases from cart to washer, lessening risk of operator injury.
- **Custom Designs.** Custom-designed racks maintain interchangeable shelves and fixtures to optimize wash loads and accommodate a variety of items.
- **Sanitary.** Cart remains outside of cabinet, eliminating cross-contamination from floor residue.
- **Active Spray Systems.** To ensure full wash coverage of difficult-to-clean process items, targeted spray systems can be built into racks.



Filler Piston Parts



Slicer Parts



Dicer Guards

Compact Drying Module

Efficient Dryer Increases Productivity.

Sani-Matic's optional compact drying module provides dry, ready-to-use parts straight from the cabinet, significantly increasing uptime and productivity.

Advantages

- **Increased Productivity.** The air distribution manifolds can generate 10-minute dry times. Turnaround times can be up to 75 percent faster with the drying system. The dryer features multiple drying cycles and temperature settings for easy customization.
- **Flexibility.** Easy-to-install system maintains a small footprint, low utility requirements, and quiet operation (approximately 80 dB with sound insulation kit).
- **Field Retrofit.** Dryer kit is available for installation with existing SaniCab systems.

Features

Electric Heat Dryer Utilities	• Electrical - 100 amps @ 460 VAC, 3-Phase, 60 Hz
Steam Heat Dryer Utilities	• Steam - 221 lbs/hr @ 40 psi • Electrical - 10 amps @ 460 VAC, 3-Phase, 60Hz • Compressed Air - 1 cfm for valve actuation
Airflow	• 1,000 cfm
Dryer Dimensions	• 26" W x 42" L x 76" H
Temperature	• Up to 200° Fahrenheit (Note: This is airflow and room temperature dependent)

SaniCab P335 with dryer



Cleaning Confidence.

Repeatable results you can count on every time you clean your process parts and equipment.
That's Cleaning Confidence from Sani-Matic.



SANI-MATIC

sanimatic.com

Distributed by:

MGNNewell

Greensboro Division
301 Citation Court
Greensboro, NC 27409
336-393-0100

Louisville Division
4400 Bishop Lane, Suite 112
Louisville, KY 40218
502-459-7475

Nashville Division
330 Free Hill Rd, Suite B
Hendersonville, TN 37075
615-822-3030

sales@mgnewell.com
www.mgnewell.com

