#### Air Tool Lubricant MSDS

Product #'s :	ATL004, ATL016, ATL032, ATL128, ATL55, A145-4, A145-16,
	A145-32, A145-128

### Section 1 : Chemical Product And Company Information

Product Name :	Air Tool Lubricant
Manufacturer Name :	Coilhose Pneumatics/Acme Automotive 19 Kimberly Road East Brunswick, NJ 08816 USA
General Information :	(732) 390-8480, Monday – Friday 8:00 AM to 5:30 PM EST (503) 434-5964, Monday – Friday 8:00 AM to 5:30 PM PST
Emergency Information :	(800) 222-1222 (Poison Control USA) 24 Hours (800) 424-9300 (CHEMTREC) 24 Hours
Transportation Information :	Not regulated by Department of Transportation (DOT)

## Section 2 : Hazard Identification

Hazardous Materials Identificatio Health 1	n System (HMIS) : Flammability 1	<b>Reactivity</b> 0
Chemical Name :	Not Applicable - Mixture	
Chemical Family :	Petroleum Hydrocarbon	
Product Appearance and Odor :	Amber Liquid, petroleum odor	
Route of Exposure :	Inhalation and skin contact	
Potential Health Effects :	Prolonged or repeated skin contact with this skin oils possibly leading to irritation and der contacting the eye may cause irritation. Proc oral and dermal toxicity. Possible aspiration vomiting may cause aspiration of product int	matitis. Product luct has a low order of hazard. Induced
Carcinogenicity :	None	
OSHA Designation :	None	
NTP Designation :	None	
IARC Designation :	None	
Signs/Symptoms :	Skin and eye irritation, defatting of skin, nau	sea and vomiting.

Coilhose Pneumatics/Acme Automotive Air Tool Lubricant MSDS

# Section 3 : Chemical Composition

Chemical Name Petroleum based lubricating oil	<b>CAS #(s)</b> 64742-54-7, 64742-65-0	Percent >99%	
OSHA PEL TWA:	5 mg/m <sup>3</sup>		
ACGIH TLV TWA:	5 mg/m <sup>3</sup>		
ACGIH STEL/Ceiling	Not provided		
Chemical Name Butylated hydroxytoluene	<b>CAS #(s)</b> 128-39-2	Percent <1%	
OSHA PEL TWA:	Not established		
ACGIH TLV TWA:	Not established		
ACGIH STEL/Ceiling	Not provided		
Section 4 : First Aid Measures			
Eye Contact:	Flush with clear water for at lea seek medical attention.	st 15 minutes. If irritation persists,	
Skin Contact:	Remove contaminated clothing and water.	and wash skin thoroughly with soap	
Inhalation:	product, immediately remove to breathing is irregular or has sto	blem. If overcome by vapor from hot fresh air and call a physician. If oped, start resuscitation; administer sure to oil mist, remove from further	
Ingestion:	If ingested, do not induce vomit	ing. Call a physician immediately.	
Section 5 : Fire Fighting M	easures		
Flash Point	177 °C (350 °F)		
Flash Point Method	COC		
Auto-ignition Temperature	Not established		
National Fire Protection Associ Health 1	ation (NFPA) : Flammability 1	<b>Reactivity</b> 0	
Upper Flammable or Explosive	Upper Flammable or Explosive Limits : Not established		
Lower Flammable or Explosive Limits : Not established			
Coilhose Pne	umatics/Acme Automotive Air Tool	Lubricant MSDS	

Preparation Date: 21-OCT-05	Revision Date: 04-APR-08
Extinguishing Media :	Foam, water spray (fog), dry chemical, carbon dioxide and vaporizing liquid type extinguishing agents may all be suitable for extinguishing fires involving this type product, depending on size or potential size of fire and circumstances related to the situation. Water froth may be used to flush spills away from exposure.
Fire Fighting Procedures :	Minimize breathing gases, vapor, fumes, and smoke, or decomposing products. Do not enter any enclosed or confined area without proper protective equipment and breathing apparatus.
Section 6 : Accidental Rele	ase Measures
Leak Response :	Keep product out of sewers and watercourses by diking or impounding. Absorb with sand or inert material. Sweep or scoop up and remove. Prevent spread of spill. Advise authorities if product has entered or may enter sewers, watercourses or extensive land areas. Assure conformity with local regulations.
Disposal Methods :	Assure conformity with applicable disposal regulations. Dispose of absorbed material at an approved waste site or facility. (Consult federal, state, or local authorities for proper disposal procedures.)
Section 7 : Handling and St	torage
Handling :	Keep containers closed when not in use. Do not handle near heat, sparks, flame, or strong oxidants.
Section 8 : Exposure Controls, Personal Protection	
Ventilation :	Provide ventilation sufficient to prevent exceeding recommended exposure limit or buildup of explosive concentrations or vapor in air. Use local exhaust to capture vapor, mist or fumes, if necessary. Workplace environment conditions vary widely. Therefore design criteria for ventilation cannot be specified in a MSDS.

**Respiratory Protection :** Use only NIOSH approved equipment. Normally not needed at ambient temperatures. Use supplied air respiratory protection in confined or enclosed spaces, if needed. Use filter, dust, fume, or vapor respirator type under misting conditions. Use can or cartridge, gas or vapor respirator type under conditions exceeding TWA standard.

**OSHA PEL TWA:** 5 mg/m<sup>3</sup>

ACGIH TLV TWA: 5 mg/m<sup>3</sup>

Protective Gloves : Use chemical-resistant gloves, if needed, to avoid prolonged or repeated skin contact.

Preparation Date: 21-OCT-05	Revision Date: 04-APR-08
Eye Protection :	Use splash goggles or face shield when eye contact may occur due to splashing or spraying of material.
Other Protective Equipment :	Use chemical-resistant apron or other impervious clothing, if needed, to avoid contaminating regular clothing, which could result in prolonged or repeated skin contact.
Personal Hygiene :	There are no known hazards associated with this material when used as recommended. The following general hygiene considerations are recognized as common good industrial hygiene practices. Minimize breathing vapor, mist, or fumes. Avoid prolonged or repeated contact with skin. Remove contaminated clothing; launder or dry-clean before reuse. Remove contaminated shoes and thoroughly clean before reuse; discard if oil-soaked. Cleanse skin thoroughly after contact, before breaks and meals, and at end of work period. Product is readily removed from skin by waterless hand cleaners, followed by washing thoroughly with soap and water.

# Section 9 : Physical and Chemical Properties

Physical State/Appearance :	Amber liquid, petroleum odor
р/Н :	Not rated
Decomposition Temperature :	Not available
Vapor Pressure :	< .01 mmHg @ 20 °C
Vapor Density (Air = 1) :	> 5
Boiling Range :	Not available
Melting Point :	Not applicable
Flash Point :	177 °C (350 °F)
Flash Point Method :	COC
Solubility In Water :	Nil
Evaporation Point (n-Butyl Acetate = 1) :	Not available
VOC Content :	0.11 lb/gal
Viscosity :	Unknown
Specific Gravity (25 °C/25 °C) (Water = 1) :	< 1.0

#### Section 10 : Stability and Reactivity

Chemical Stability :	Yes
Conditions To Avoid :	Open flames
Incompatibilities with Other Materials :	Strong oxidizers, concentrated oxygen, sodium or calcium hypochlorite for explosion hazard
Hazardous Polymerization :	No
Hazardous Decomposition Products :	(Under fire conditions) Smoke, fumes, carbon monoxide, and other decomposition products in case of incomplete combustion.

#### Section 11 : Toxicological Information

Oral (Acute) :	Not established
Dermal (Acute) :	Not established
Eye :	Not established
Inhalation (Acute) :	Not established
Chronic, Subchronic, Etc. :	Not established
Medical Conditions Aggravated by Exposure :	Not established
Toxicological Paragraph :	This product does NOT contain any ingredients identified as carcinogenic by IARC, NTP, or OSHA

### Section 12 : Ecological Information

Ecological Paragraph : Not established

#### **Section 13 : Disposal Considerations**

Waste Disposal :Consult federal, state, or local authorities for proper disposal<br/>procedures. Assure conformity with applicable disposal regulations.<br/>Dispose of absorbed material at an approved waste site or facility.

#### **Section 14 : Transportation Information**

**Transportation Information :** Not regulated by Department of Transportation (DOT)

### Section 15 : Regulatory Information

#### Applies to all ingredients:

SARA :	This material is not known to contain any chemicals at a concentration of greater than 1.0 percent or carcinogenic chemicals at a concentration greater than .01 percent.
US Federal :	Not provided
State :	Not provided
Section 16 : Additional	Information
Disclaimer :	The above information is accurate to the best of our knowledge. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse use beyond our control, seller makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. User should satisfy himself that he has all current data relevant to his particular use.
Other Information :	Not available